![DATACOMM ELECTRONICS logo]

Product Specification Sheet

Product Name: Standard Size Keystone Plates

Product Group: Wall Plates

Part Number: 20-3001-xx, 20-3002-xx, 20-3003-xx, 20-3004-xx, 20-3006-xx

Colors: Ultra White (UWH), Black (BK), Gray (GY)

Product Overview

Keystone plates, also known as keystone wall plates or keystone faceplates, are used in structured cabling and networking installations to organize and mount keystone jacks in a clean, standardized way. Their primary purpose is to provide a secure, aesthetically pleasing interface for connecting various types of cables (e.g., Ethernet, coaxial, fiber optic, audio/video) to devices in residential, commercial, or industrial settings.

Key Features

- Feature 1: Available in 1 port, 2 port, 3 port, 4 port, & 6 port
- Feature 2: Available in standard size and mid-size
- Feature 3: Works with all DataComm keystone inserts
- Feature 4: Size and colors match other manufacturers' devices and plates

Technical Specifications

Specification	Details
Input Voltage	NA
Power Consumption	NA
Frequency Range	NA
Data Rate	NA
Connector Type	Keystone, Flush Mount
Operating Temperature	–10°C to 60°C (14°F to 140°F)
Storage Temperature	–40°C to 68°C (–40°F to 154°F)

Physical Characteristics

Characteristic	Details
Dimensions	2.76 inches x 4.51 inches x 0.22 inches (W x H x D)
Weight	0.080 lbs.
Material	ABS Plastic (Acrylonitrile Butadiene Styrene)
Color	Ultra White (UWH), Black (BK), Gray (GY)
Mounting Options	Wall Mount, Flush Mount
Country of Origin	Vietnam

Compliance and Certifications

- Certification 1 : cULus File No. E201216

Ordering Information

Item	Details
Part Number	**20-3001-xx, 20-3002-xx, 20-3003-xx, 20-3004-xx, 20-3006-xx**
UPC Code	See pricing sheet for UPC Codes
Package Contents	Plate and mounting screws
Warranty	One (1) Year
Contact	DataComm Electronics, 2831 Peterson Place NW, Norcross, GA 30071 770.448.0540 sales@datacommelectronics.com

Wall plate (3 ports):
- 3.28in
- 4.51in
- 2.76in
- 0.57in
- 0.64in

Wall plate (4 ports):
- 3.28in
- 4.51in
- 2.76in
- 0.57in
- 0.64in

Wall plate (6 ports):
- 3.28in
- 4.51in
- 2.76in
- 0.57in
- 0.64in